

Connected Backup

Software Version 8.11

Installing PC Agents



Document Release Date: October 2018
Software Release Date: October 2018

Legal notices

Copyright notice

© Copyright 2015-2018 Micro Focus or one of its affiliates.

The only warranties for products and services of Micro Focus and its affiliates and licensors (“Micro Focus”) are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Documentation updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

You can check for more recent versions of a document through the [MySupport portal](#). Many areas of the portal, including the one for documentation, require you to sign in with a Software Passport. If you need a Passport, you can create one when prompted to sign in.

Additionally, if you subscribe to the appropriate product support service, you will receive new or updated editions of documentation. Contact your Micro Focus sales representative for details.

Support

Visit the [MySupport portal](#) to access contact information and details about the products, services, and support that Micro Focus offers.

This portal also provides customer self-solve capabilities. It gives you a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the MySupport portal to:

- Search for knowledge documents of interest
- Access product documentation
- View software vulnerability alerts
- Enter into discussions with other software customers
- Download software patches
- Manage software licenses, downloads, and support contracts
- Submit and track service requests
- Contact customer support
- View information about all services that Support offers

Many areas of the portal require you to sign in with a Software Passport. If you need a Passport, you can create one when prompted to sign in. To learn about the different access levels the portal uses, see the [Access Levels descriptions](#).

Contents

Chapter 1: Install	6
Preparation	6
Existing Agent configuration	6
User computer system requirements	6
System permissions	6
Distribution methods	6
Use Account Management Website	7
Administrator Tasks	7
Agent installation	7
Use the command-line installation program	9
Administrator Tasks	9
Agent installation	9
Examples	10
Example 1	10
Example 2	10
Example 3	10
Example 4	10
Example 5	11
Use disk image installation	11
Administrator Tasks	11
Agent installation using Agent Installation Wizard	12
Agent installation using command-line installation program	12
Activate disk image installation Agents	13
Multiple language support	14
 Chapter 2: Recover/Reinstall	 16
Preparation	16
User computer system requirements	16
System permissions	16
Allow Computer Name Change	16
Recovery methods	16
Use the Account Management Website	17
Use the Agent Startup Wizard	17
Use a disk image installation Agent	18
Use the command-line installation program	18
Administrator tasks	18
Account recovery	19
Example	20

Chapter 3: Upgrade	21
Scenarios	21
Upgrade methods	21
Use central administration	21
Upgrade from 8.x Agents to this release	21
Use the command-line installation program	23
Upgrade from 8.x Agents to this release	24
Use UpdateConfiguration	24
Use UpdateConfiguration command-line options	25
Examples	26
Example 1	26
Example 2	26
Chapter 4: Remove/Uninstall	27
Before you begin	27
Removal methods	27
Use Control Panel	27
Use the Agent Installation Wizard	27
Use the command-line installation program	28
Chapter 5: Reference	29
Command-line Agent setup file parameters	29
REGISTRATIONFILE Fields	34
Sample XML file content	36
Activate command	36
Agent setup transforms	38
GetSettings Command	40
Examples	41
Example 1	41
Example 2	41
Example 3	41
Appendix A: Sample user instructions	42
Register an account and install an Agent	42
Step 1: Register your backup account	42
Step 2: Install an Agent on your computer	44
Step 3: Open the Agent for the first time after installation	44
Step 4: Start your first backup	45
Index	46

Send documentation feedback 47

Chapter 1: Install

This chapter describes how to install Micro Focus Connected Backup Agents.

- [Preparation, below](#)
- [Distribution methods, below](#)
- [Multiple language support, on page 14](#)

Preparation

To install a Connected Backup Agent on a computer, you must meet the following requirements:

- Existing Agent Configuration
- User computer system requirements
- System permissions

Existing Agent configuration

To deploy Agents, you must create an Agent configuration in Support Center. An Agent configuration contains the features and settings that comprise an Agent, including the Agent version and the default file selection rules.

For more information, see *Administering PC Agents* guide and Support Center Help.

User computer system requirements

For requirements that a computer must meet before you can install the Agent, see *Connected Backup Requirements Matrix* guide.

System permissions

To install an Agent, you must log on to the computer with local administrator privileges during the Agent installation process.

Distribution methods

After you have established that the Agent system requirements have been met, choose from the following available Agent distribution methods:

- Using the Account Management Website
- Using the command-line installation program
- Using disk image pre-install

Use Account Management Website

Account Management Website enables users to manage their own accounts, which includes the following tasks:

- Create a new Connected Backup account.
- Download an Agent Setup file.
- Install the Agent on a computer.

NOTE:

For information about how to access Account Management Website, contact the Data Center administrator.

Administrator Tasks

To obtain the URL for the Agent configuration to use for the Agent deployment

1. Open a Web browser, and then sign in to Support Center.
2. Navigate to the community where you want to create the account. The community contains the Agent configuration to deploy.
3. Expand the **Configurations** node, and then expand the **PC** subnode.

NOTE:

You cannot create accounts in the root community. If you create an Agent configuration in the root community, to obtain a URL, navigate to a subcommunity.

4. Select the name of the Agent configuration to deploy.
5. On the View or Edit PC Agent Configuration page, scroll to the bottom of the page, and then copy the Account Management Registration URL.

NOTE:

The Account Management Registration URL is case sensitive.

You can now provide the Account Management Registration URL to your users to begin the Agent deployment process.

Agent installation

To use Account Management Website to install an Agent on a computer

1. On the user's computer, open a Web browser, and then navigate to the Account Management Registration URL.
2. On the Welcome page, click **Register and Download**.
If your account requires acceptance of the Service License Agreement, AMWS displays it.
3. To accept the Service License Agreement, if required, click **Accept**.

If you click **Decline**, the registration process stops and you cannot download the Agent Setup file.

4. If the system prompts you for one of the following pieces of information, provide the required information:
 - **Reservation account code.** Enter the code that you received from your system administrator, and then click **Continue**.
 - **Network Logon ID.** Enter the network logon ID (or user name) and password, and then click **Continue**.
 - **Single sign-on account credentials.** Provide the requested information to sign in.
5. If the **Registration** page appears, enter the required information, and then click **Continue**. Be sure to complete required fields, which are marked with an asterisk.

NOTE:

Passwords for native Connected Backup accounts must meet the following requirements:

- contain a minimum of six alphanumeric characters
- contain a maximum of 100 alphanumeric characters
- contain at least one character that is different from the other characters

Remember the e-mail address and password that you enter during this step. You need this information to sign in to AMWS to finish the Agent installation and manage the account.

6. To create the Agent Setup file for the computer, click **Download Software**.

The Preparing the Software to Download page opens. When the file is ready, the Web browser displays the Download Instructions page.

7. Click **Begin Download**, and then save the Agent Setup file to a folder on your computer.

NOTE:

The Agent Setup file is bound to the account number created for the user during the registration process. You cannot use the Agent Setup file install the Connected Backup Agent for other users.

8. To start the installation, navigate to the folder that contains the Agent Setup file, and then double-click `AgentSetup.` to extract the `AgentSetup.mpkg setup files.i`.
9. Follow the on-screen instructions to complete the installation.

When the installation completes, the Installation Complete dialog box opens.

10. To exit the Agent Setup program, click **Finish**.
11. When the Agent starts, at the prompt, enter your account credentials:
 - If you specified a password during the registration process, enter that password.
 - If your account is mapped to an LDAP or Single Sign-On account, enter the credentials for that account.

You see this prompt only the first time that you open the Agent after its initial installation.

The Connected Backup Agent is now available for use on the user's computer.

Use the command-line installation program

An Agent Setup file that is not directly associated with one account is available from Support Center for Agent configurations. This generic Agent Setup file enables you to distribute the Agent to multiple users' computers, and then install an account via the command-line.

The command-line installation method enables you to use any file distribution method to create scripts or wrappers and distribute the Agent Setup file to multiple clients. You also can use third-party file distribution software such as IBM Tivoli, CA TNG, or Microsoft SCCM.

Administrator Tasks

To obtain the Agent Setup file to use for the Agent deployment

1. Open a Web browser, and then sign in to Support Center.
2. In the community where you created the Agent configuration to deploy, expand the **Configurations** node, and then expand the **PC** subnode.
3. Select the name of the Agent configuration to deploy.
4. On the View or Edit PC Agent Configuration page menu, click **Download**.

The Download Agent Setup page opens.

5. Click **Download**.

The Save As dialog box opens.

6. Navigate to the folder in which you want to save the Agent Setup file, and then click **Save**.

To deploy the Agents, use the Agent Setup file you downloaded.

Agent installation

To install the Agent on users' computers with the downloaded Agent Setup file, type the following command:

```
msiexec verbosity_mode /i path\AgentSetup.msi parameters logging
```

where

verbosity_mode is one of the following standard options of the `msiexec` tool:

Option	Description
/qn	None. No graphical interface
/qb	Basic. Displays Microsoft Windows progress and error dialog boxes
/qr	Reduced. Displays Connected Backup progress and error dialog boxes
/qf	Full (Default). Displays all Connected Backup progress, error, and completion dialog boxes

If you do not specify a verbosity mode, the installation uses the default mode (/qf).

NOTE:

When you use the command-line installation program to install, recover, or upgrade an Agent, you must use the `/qb` verbosity mode on Windows 7 or later computers if UAC is enabled and set to any level other than **Never notify**.

- `path` is the path name that contains the `AgentSetup.msi` file.
- `parameters` is one or more of the Agent Setup command-line parameters. For a complete list of available parameters, see [Command-line Agent setup file parameters, on page 29](#).
- `logging` is an optional attribute of the `msiexec` tool to enable logging for the installation attempt. It consists of the verbose logging option of the `msiexec` tool and a file name for the logs to be saved to in the following format:

```
/l*v log_file
```

where

`log_file` is a filename to use for saved logging.

Examples

The following examples represent some uses of the command-line installation method to install a Connected Backup Agent:

Example 1

Agent install without user intervention no on-screen prompts or displays:

```
msiexec /qn /i AgentSetup.msi
```

Example 2

Agent install with basic on-screen prompts or displays, and installation logs stored in `c:\log file.txt`:

```
msiexec /qb /i AgentSetup.msi /l*v "c:\log file.txt"
```

NOTE:

Whenever spaces exist in any command-line parameter, enclose the parameter in double-quotes ("").

Example 3

Agent install with no on-screen prompts or displays, connecting to Active Directory account `jbloggs`, and backing up immediately after installation and registration:

```
msiexec /qn /i AgentSetup.msi LDAPID=jbloggs FIRSTBACKUP=1
```

Example 4

Agent install for an account reserved with code `ticket1`, with no on-screen prompts or displays, and using e-mail address `joe.bloggs@mycompany.com` and a password of `password1`:

```
msiexec /qn /i AgentSetup.msi RESERVATIONCODE=ticket1  
EMAILADDRESS=joe.bloggs@mycompany.com PASSWORD=password1
```

Example 5

Agent install in a community configured for single sign-on for jbloggs account with no on-screen prompts or displays, and backing up immediately after installation and registration:

```
msiexec /qn /i AgentSetup.msi ACCOUNTUID=jbloggs FIRSTBACKUP=1
```

Use disk image installation

If you use pre-configured disk images for your computers, you can create and use an Agent Setup file not already associated with a Connected Backup account to install Agents. After you use a third-party disk-imaging tool to place the disk image that contains an unregistered Agent on a user's computer, either the user or an administrator can activate Agent through a provided application, and the Data Center assigns the Agent an account number. The Agent can then back up to and retrieve files from the Data Center.

Since these unregistered Agent installations do not have account numbers, they do not use a license on the Data Center until they are activated by the user or an administrator.

NOTE:

For each Data Center environment that your users connect to, create a separate disk image that uses separate Agent Setup files.

Administrator Tasks

To obtain the Agent Setup file to use for the Agent deployment

1. Open a Web browser, and then sign in to Support Center.
2. In the community where you created the Agent configuration to deploy, expand the **Configurations** node, and then expand the **PC** subnode.
3. Select the name of the Agent configuration to deploy.
4. On the View or Edit PC Agent Configuration page menu, click **Download**.

The Download Agent Setup page opens.

5. Click **Download**.

The Save As dialog box opens.

NOTE:

Do not change the name of the AgentSetup.msi file. If you do, you cannot use central administration to upgrade Agents.

6. Navigate to the folder in which you want to save the Agent Setup file, and then click **Save**.

You now can begin the Agent deployment process using the downloaded Agent Setup file.

Agent installation using Agent Installation Wizard

To install the Agent on a disk image without registering an account number

1. Navigate to the folder that contains the Agent Setup file, and then double-click `AgentSetup.msi`.

The Welcome window opens.

2. Select one of the following options:
 - **Create a disk image with a running service.** Installs an inactive Agent on the computer that users without administrator privileges can activate.
 - **Create a disk image only.** Installs an inactive Agent on the computer that requires a user with administrator privileges to activate.

The User License Agreement window appears.

3. Click **Next**.
4. Follow the on-screen instructions to complete the installation.

When the installation is complete, the Installation Complete dialog opens.

5. To exit the Agent Setup program, click **Finish**.

The Connected Backup Agent is now installed on the computer. This Agent is not associated with any accounts on the Data Center, and must be activated before computer backups are attempted.

Agent installation using command-line installation program

To use the command-line installation program to install an Agent on a disk image, but not register an account on the Data Center, type the following command:

```
msiexec verbosity_mode /i path\AgentSetup.msi DISKIMAGE=option Logging
```

where

verbosity_mode is one of the following standard options of the msiexec tool:

Option	Description
/qn	None - no graphical interface
/qb	Basic - displays Microsoft Windows progress and error dialog boxes
/qr	Reduced - displays Connected Backup progress and error dialog boxes
/qf	Full (Default) - displays all Connected Backup progress, error, and completion dialog boxes

If you do not specify a verbosity mode, the installation uses the default mode (`/qf`).

- *path* is the path name that contains the `AgentSetup.msi` file.
- *option* is one of the following disk image installation options:

Option	Description
serviceon	Installs an inactive Agent on the computer that users without administrator privileges can activate.
serviceoff	Installs an inactive Agent on the computer that requires a user with administrator privileges to activate.

If you do not specify an option for DISKIMAGE, an active Agent is installed by the command-line program. For more information about this parameter, see [Command-line Agent setup file parameters, on page 29](#).

- *Logging* is an optional attribute of the msiexec tool to enable logging for the installation attempt. It consists of the verbose logging option of the msiexec tool and a file name for the logs to be saved to in the following format:

```
/l*v log_file
```

where

log_file is a filename to use for saved logging.

The Connected Backup Agent is now installed on the computer. This Agent is not associated with any accounts on the Data Center, and must be activated before computer backups are attempted.

Activate disk image installation Agents

Agents installed with these methods are inactive Agents, that do not back up files until an administrator or a user activates them.

To activate an Agent for users without administrator privileges

1. Start the Connected Backup Agent.
2. Click **Activate Now**.

The Agent connects to the Data Center and registers an active account.

To activate an Agent that requires a user with administrator privileges to activate

1. Open a Command Prompt window on the computer with the disk image pre-installed Agent.
2. Change the path to the Agent installation directory.
3. To activate the Agent, type the following command:

```
activate.exe -registernow
```

The Agent connects to the Data Center and registers an active account.

For more information about additional command-line parameters for the Activate application, see [Activate command, on page 36](#).

Multiple language support

Each Agent supports multiple languages. By default, the Agent displays text in the language specified by the computer's **Region and Language** settings in Control Panel. If the Agent does not support the specified language, it displays text in English (United States).

If necessary, you can override the Agent's use of the **Region and Language** setting so that the Agent displays text in a different language than the operating system. For example, if the **Region and Language** setting is German, you can configure the Agent to display its text in English (United States).

NOTE:

The Agent Setup file (`AgentSetup.msi`) does not support multiple languages and does not base its language on the **Region and Language** setting of the computer.

The Setup file and its Setup Wizard, which performs interactive installations, display text only in the language defined by the Agent version specified in the Agent Configuration. The Agent installed, however, does support multiple languages.

To specify an Agent's display language

1. To specify the display language for both the Agent and the operating system, select the language in the **Region and Language** settings in Control Panel.
2. To specify a display language for the Agent that differs from the one that the operating system uses, perform the following:
 - a. In the Windows registry, locate the **Agent** subkey.

The registry location of this key depends on the type of operating system:

- 32-bit Windows: **HKLM\Software\Connected\Agent**
 - 64-bit Windows: **HKLM\Software\Wow6432Node\Connected\Agent**
- b. If the **Agent** key does not already contain a **CultureOverrideCode** entry, create it in String format.
 - c. Set the value of the **CultureOverrideCode** entry to one of the language tags that Connected Backup supports.

For example, to set the language to Italian, set the value to `it-IT`.

International versions of Agents typically support the following language tags:

- **de-DE**. German
- **en-US**. English (United States)
- **es-ES**. Spanish
- **fr-FR**. French
- **it-IT**. Italian
- **ja-JP**. Japanese
- **ko-KR**. Korean

- **nl-NL**. Dutch (Netherlands)
- **pt-BR**. Portuguese (Brazil)
- **pt-PT**. Portuguese (Portugal)
- **zh-CN**. Chinese (Simplified)

To see which languages a specific version of Connected Backup supports, see the *Connected Backup Application Localization Matrix* for that version.

3. Restart the Agent to activate the new language. To do so, either:
 - Restart the computer.
 - Use Windows Task Manager to end the `ConnectedAgent.exe` process, and then restart the Agent.

Chapter 2: Recover/Reinstall

This chapter describes how to recover and reinstall Agents.

- [Preparation, below](#)
- [Recovery methods, below](#)

Preparation

If your computer experiences a problem or you replace your computer's hard drive, you can reinstall the Connected Backup Agent and then reconnect to your existing account on the Data Center.

To recover an account, the following requirements must be met:

- User computer system requirements
- System permissions
- Allow computer name change

User computer system requirements

For requirements that a computer must meet before you can install the Agent, see *Connected Backup Requirements Matrix* guide.

System permissions

To install an Agent, you must log on to the computer with local administrator privileges during the Agent installation process.

Allow Computer Name Change

To recover a previously existing account from one computer to a new computer with a different computer name, use Support Center to allow a computer name change for the account. Additionally, if you plan to recover an account originally installed on a computer with a 32-bit operating system onto a computer with a 64-bit operating system (even if it is the same computer), use Support Center to configure the Agent to allow a computer name change.

For more information, see *Support Center Help*.

Recovery methods

You can recover accounts in the following ways:

- Using the Account Management Website
- Using the Agent Startup Wizard
- Using a disk image pre-install Agent
- Using the command-line installation program

Use the Account Management Website

You can access the Account Management Website for the user's account and download a new Agent Setup file to reinstall the Agent.

To recover a user's account using the Account Management Website

1. Open a Web browser, and then sign in to the user's Account Management Website.

To sign in, use the credentials associated with the account, or select the **Access User's Online Account** link on the account's summary page in Support Center.

NOTE:

In order to see the **Access User's Online Account** link in Support Center, be sure that your technician account has the Access Users' Data permission. If you do not have this permission, you cannot see or use the link.

The Account Management Website opens with the user's account information.

2. Select **Reinstall Agent**.
3. Click **Download Software**.
4. To reinstall the Agent, follow the instructions on the Download Instructions page.

The Connected Backup Agent is installed and reconnected to the user's account. The Agent is now available for use on the user's computer.

Use the Agent Startup Wizard

You can let users recover their own accounts if the accounts' Agent configurations include the use of the Agent Startup Wizard. For more information about how to enable the Agent Startup Wizard in the Agent Settings for an Agent configuration, see Support Center Help.

To use the Agent Startup Wizard to recover an account

1. Navigate to the folder that contains the Agent Setup file, and then double-click `AgentSetup.msi`.

NOTE:

Use the same Agent Setup file that was used to install the Agent. If the original Agent Setup file is not on the computer, download from Support Center an Agent Setup file that uses the same Agent version installed on the computer.

2. In the Startup Options window, select **Recover an existing backup account**, and then click **Next**.

3. Follow the prompts and enter the information required to recover your account.

The Connected Backup Agent is installed and reconnected to the user's account. The Agent is now available for use on the user's computer.

Use a disk image installation Agent

You can use an Agent installed as part of a disk image that has not yet been used to register an account in order to recover an existing account, as long as the Agent configuration in use includes the use of the Agent Setup Wizard. For more information about how to enable the Agent Startup Wizard in the Agent Settings for an Agent configuration, refer to Support Center Help.

To use a disk image installation Agent to recover an account, activate the account, and then use the Agent Setup Wizard recovery procedure to complete the account recovery. For more information about Agent activation, see [Activate disk image installation Agents, on page 13](#). For more information about how to use the Agent Setup Wizard to recover an account, see [Use the Agent Startup Wizard, on the previous page](#).

Use the command-line installation program

You can use the command-line installation program to recover version 7.x and version 8.x accounts. You do not have to know the version of an account before you recover it if you're recovering to the newest 8.x Agent version. The Agent handles this circumstance automatically.

NOTE:

When you use the command-line installation account recovery method to upgrade an account from version 7.x to version 8.x, the installation program removes local rules and file selections that the user created, and installs the default 8.x Agent configuration for the community (not the Agent configuration associated with the Agent Setup file).

Administrator tasks

To obtain the Agent Setup file to use for the account recovery

1. Open a Web browser, and then sign in to Support Center.
2. In the community where you created the Agent configuration to deploy, expand the **Configurations** node, and then expand the **PC** subnode.
3. Select the name of the Agent configuration in use by the account.
4. On the View or Edit PC Agent Configuration page menu, click **Download**.

The Download Agent Setup page opens.

5. Click **Download**.

The Save As dialog box opens.

NOTE:

Do not change the name of the `AgentSetup.msi` file. If you do, you cannot use central administration to upgrade Agents.

6. Change the folder to the directory you want to save the Agent Setup file in, and then click **Save**.

You can now begin the account recovery process using the downloaded Agent Setup file.

Account recovery

To use the downloaded Agent Setup file to recover an account on a user's computer, type the following command:

```
msiexec verbosity_mode /i path\AgentSetup.msi ACCOUNTNUMBER=account_number  
parameters logging
```

where

- *verbosity_mode* is one of the following standard options of the msiexec tool:

Option	Description
/qn	None. No graphical interface.
/qb	Basic. Displays Microsoft Windows progress and error dialogs.
/qz	Reduced. Displays Connected Backup progress and error dialogs.
/qf	Full (Default). Displays all Connected Backup progress, error, and completion dialogs.

If you do not specify a verbosity mode, the installation uses the default mode (/qf).

NOTE:

When you use the command-line installation program to install, recover, or upgrade an Agent, you must use the /qb verbosity mode on Windows 7 or later computers if UAC is enabled and set to any level other than **Never notify**.

- *path* is the path name that contains the AgentSetup.msi file.
- *account_number* is the number of the account that you want to recover. Use the following syntax: nnnnn-nnnnn.

NOTE:

The msiexec tool supports the ACCOUNTNUMBER parameter for SSO-enabled accounts only when the tool runs in silent mode (/qn or /qb verbosity).

- *parameters* is one of the following Agent Setup command-line parameter options:

Options	Description
TECHID=technician_ id PASSWORD= technician_ password	Recovers account using a technician ID. Both TECHID and PASSWORD are required, and require the technician ID and technician password, respectively. To recover an SSO account in silent mode (/qn or /qb verbosity), you must use a non-SSO technician ID.

Options	Description
<code>USERPASSWORD= user_password</code>	Recovers account using the user's account password information. The <code>user_password</code> is the password associated with the Connected Backup account.

NOTE:

Be sure that your technician ID has the **Access Users' Data** permission. If you do not have this permission, you cannot use the TECHID/PASSWORD option to recover an account.

For a complete list of available parameters, see [Command-line Agent setup file parameters, on page 29](#).

- *Logging* is an optional attribute of the msiexec tool to enable logging for the installation attempt. It consists of the verbose logging option of the msiexec tool and a file name for the logs to be saved to in the following format:

```
/1*v log_file
```

where

log_file is a filename to use for saved logging.

The Connected Backup Agent is installed and reconnected to the user's account. The Agent is now available for use on the user's computer.

Example

The following example demonstrates the use of the command-line installation method to recover an account:

Recover a user account with account number 10100-55436, using technician ID sampletech and a technician password of stpassword123!, with no on-screen prompts or displays:

```
msiexec /qn /i AgentSetup.msi  
ACCOUNTNUMBER=10100-55436 TECHID=sampletech PASSWORD=stpassword123!
```

Chapter 3: Upgrade

This chapter describes how to upgrade Agents.

- [Scenarios, below](#)
- [Upgrade methods, below](#)

For information on upgrade path, see the latest *Connected Backup Release Notes*.

Scenarios

You can use the Agent upgrade process to install a newer version of an Agent on users' computers and also to change the Agent configuration in use by accounts. When you change the Agent configuration an Agent uses, you can configure the following attributes:

- Profile and Website settings
- Agent settings
- File selection rules
- Displayed Agent language

Upgrade methods

Choose from the following available Agent upgrade methods:

- Use central administration
- Use the command-line installation program
- Use UpdateConfiguration

Use central administration

Use the central administration feature of Support Center to upgrade Agents to new Agent versions with minimal user interaction.

This option lets you use Support Center to upgrade Connected Backup Agents to newer versions without the use of third-party system management tools.

Upgrade from 8.x Agents to this release

You cannot upgrade directly to this release from an Agent version 8.x earlier than 8.4. Depending on which 8.x Agent version you start with, use the tasks in this topic once or twice to upgrade to the current Agent version.

To use central administration to upgrade a single version 8.x Agent

1. Open a Web browser, and then sign in to Support Center.

NOTE:

Be sure that your technician account has the Change the Agent Configuration of Accounts permission. If you do not have this permission, you cannot complete this process.

2. Enable central administration for the community that contains the account associated with the Agent to be upgraded if it has not already been enabled.

For more information about how to enable central administration, refer to Support Center Help.

3. Search for the account.
4. If Support Center displays multiple results, click the appropriate account number.

The Account Summary page opens.

5. Select **Assigned Configuration**.

The Change Agent Configuration page opens.

6. Select the new Agent configuration for the account from the list of available Agent configurations, and then click **Save and Deploy**.

The Data Center configures the account to use the new Agent configuration. The Data Center then changes the user's Agent to the assigned Agent configuration during the Agent synchronization of the next backup.

To use central administration to upgrade multiple version 8.x Agents at the same time

1. Open a Web browser, and then sign in to Support Center.

NOTE:

Be sure that your technician account has the Change the Agent Configuration of Accounts and Run Reports permissions. If you do not have these permissions, you cannot complete this process.

For more information about how to set technician account permissions, see Support Center Help.

2. Enable central administration for the community that contains the account associated with the Agent to be upgraded if it has not already been enabled.

For more information about central administration, see Support Center Help.

3. Create a report template to generate a report that lists the accounts to be upgraded to a new Agent configuration.

For more information about how to create report templates, see Support Center Help.

4. On the page for the created report template, click **Run Report**.
5. After the Support Center creates the report, select the report to view its contents.
6. Click **Select Accounts**.

A check box appears to the left of each account listed by the report.

7. Select the accounts from the report to be upgraded to the new Agent configuration, and then click **Create Group**.

For more information about groups, see Support Center Help.

8. On the Report page menu, click **Group** and then click Change Configuration.

The Change Group Account Configuration page opens.

9. Select the new Agent configuration for the grouped accounts from the list of available Agent configurations, and then click **Save and Deploy**.

The accounts are immediately configured to use the new Agent configuration. The users' Agents are then changed to the assigned Agent configuration during the Agent synchronization portion of the next backup.

Use the command-line installation program

An Agent Setup file that is not directly associated with one account is available from Support Center for Agent configurations. This generic Agent Setup file lets you distribute the Agent to multiple users' computers and then install an account via the command-line.

The command-line installation method lets you use any file distribution method to create scripts or wrappers and upgrade the Agent on multiple clients, without the use of central administration. You can also use third-party file distribution software such as IBM Tivoli, CA TNG, or Microsoft SCCM.

To obtain the Agent Setup file to use for the Agent upgrade process

1. Open a Web browser, and then sign in to Support Center.
2. In the community where you created the Agent configuration to deploy, expand the **Configurations** node, and then expand the **PC** subnode.
3. Select the name of the Agent configuration to deploy.
4. On the View or Edit PC Agent Configuration page menu, click **Download**.

The Download Agent Setup page opens.

5. Click **Download**.

The Save As dialog box opens.

NOTE:

Although this file should be saved as the default file name of `AgentSetup.msi`, you might have to save the file with a different name, depending on if the original Agent Setup file was distributed to users' computers with a different file name.

To verify the file name of the Agent Setup file used on a user's computer, examine the name of the Agent Setup file in the Agent Windows registry key. The key is in the following registry location, based on the Agent operating system:

32-bit: **HKEY_LOCAL_MACHINE\SOFTWARE\Connected\Agent**

64-bit: **HKEY_LOCAL_MACHINE\SOFTWAREWow6432Node\Connected\Agent**

6. Change the folder to the directory you want to save the Agent Setup file in, and then click **Save**.

You can now begin the Agent deployment process using the downloaded Agent Setup file.

Upgrade from 8.x Agents to this release

You cannot upgrade directly to this release from an Agent version 8.x earlier than 8.4. Depending on which 8.x Agent version you start with, use the tasks in this topic once or twice to upgrade to the current Agent version.

To use the downloaded Agent Setup file to upgrade the Agent on users' computers

Type the following command:

```
msiexec /qn /i path\AgentSetup.msi REINSTALLMODE=vamus REINSTALL=ALL REBOOT=R  
Logging
```

where

- *path* is the path name that contains the *AgentSetup.msi* file.
- *logging* is an optional attribute of the *msiexec* tool to enable logging for the installation attempt. It consists of the verbose logging option of the *msiexec* tool and a file name for the logs to be saved to in the following format:

```
/l*v log_file
```

where

log_file is a filename to use for saved logging.

NOTE:

When you use the command-line installation program to install, recover, or upgrade an Agent, you must use the */qb* verbosity mode on Windows 7 or later computers if UAC is enabled and set to any level other than **Never notify**

Use UpdateConfiguration

The Agent installation folder of a version 8.4.x or later Agent contains the *UpdateConfiguration* command. This command changes the Agent configuration that the installed account uses on the Data Center. It performs the following tasks:

- Upgrades an Agent to a later version, or an Agent that uses a different language.
- Changes the Profile and Website settings, rules, or Agent settings that are applied to an account.
- Changes the Agent branding.

The *UpdateConfiguration* command lets you use command-line options to collect the Agent configuration, Support Center technician, and technician password that it requires. Regardless of which mode of this command you use, the following requirements exist:

- The command does not support single sign-on (SSO) credentials. You must use a technician ID that meets the following criteria:
 - has native Connected Backup credentials or is mapped to an enterprise directory
 - has permission to access the community in which the user's account resides
- The technician ID must have the **Change the Agent Configuration of Accounts** and **Access User's Data** permissions. Without these permissions, the tool will not update the configuration.
- The Agent configuration must be available for use in the community where the account resides.

To change the Agent configuration of an installed Agent

1. Open a Web browser, and then sign in to Support Center.

NOTE: Be sure that your technician account has the **Change the Agent Configuration of Accounts** and **Access User's Data** permissions to update the configuration in the installed agent. For more information about how to set technician account permissions, refer to Support Center Help.

2. Navigate to the community that contains the Agent configuration.
3. In the community where you created the Agent configuration to deploy, expand the **Configurations** node, and then expand the **PC** subnode.
4. Select the name of the new Agent configuration to use.
5. On the View or Edit PC Agent Configuration page, scroll to the bottom of the page to view the Agent configuration ID to use with the UpdateConfiguration command.
6. To change the Agent configuration that the Agent uses on a user's computer, at the command prompt, type the following command:

```
updateconfiguration.exe options
```

For more information about how to use the UpdateConfiguration command, see [Use UpdateConfiguration command-line options, below](#).

When you run the command, the Command Prompt window displays errors and diagnostic messages regarding the Agent configuration change. After you run the command, the Agent is immediately configured to use the new Agent configuration, and downloads the necessary files and settings to make the change without having to start or complete a backup.

Use UpdateConfiguration command-line options

The UpdateConfiguration command uses the following syntax:

```
updateconfiguration.exe
```

```
{-techid | -id} technician_ID
```

```
{-password | -pw} technician_password
```

```
[{-configurationid | -configid} config_ID]
```

```
[{-help | -?}]
```

The UpdateConfiguration command has the following options:

Option	Description
{-techid -id} <i>technician_ID</i>	<p>(Optional.) Technician ID that either has native Connected Backup credentials or is mapped to an enterprise directory.</p> <p>NOTE: This parameter does not support IDs that use SSO credentials.</p> <p>Requires use of -password option.</p>
{-password -pw} <i>technician_password</i>	<p>(Optional.) Password associated with the technician ID.</p> <p>NOTE: This parameter does not support passwords for SSO accounts.</p> <p>Requires use of -techid option.</p>
[{-configurationid -configid} <i>config_ID</i>]	<p>(Optional.) ID of the new Agent configuration.</p>
[{-help -?}]	<p>(Optional.) Displays help for the Retrieve command.</p>

Examples

The following examples demonstrate the use of the UpdateConfiguration application:

Example 1

Update the installed Agent to use Agent configuration 152 on the Data Center by using a Support Center technician called Admin, with the password NewPass1:

```
updateconfiguration.exe -configid 152 -techid Admin -pw NewPass1
```

Example 2

Update the installed Agent to a new Agent configuration on the Data Center by using a Support Center technician called Admin, with the password NewPass1:

```
updateconfiguration.exe -techid Admin -pw NewPass1
```

This example is useful if you have disabled central administration, but you assigned a new Agent configuration to an account.

Chapter 4: Remove/Uninstall

This chapter describes how to remove Agents from users' computers.

- [Before you begin, below](#)
- [Removal methods, below](#)

Before you begin

To remove an Agent, you must have administrator privileges on the computer.

If you changed the location of the Connected EmailOptimization constituent file location for an Agent, manually remove the constituent files after you remove the Agent from a computer.

Removal methods

To remove the Agent from your computer, use one of the following methods:

- Using Control Panel
- Using the Agent Installation Wizard
- Using the command-line installation program

Use Control Panel

You can use the Windows Control Panel to remove an Agent. For more information about how to use Control Panel to remove programs, see Windows Help.

Restart the computer after you remove the Agent.

Use the Agent Installation Wizard

You can use the Agent Installation Wizard to remove an Agent.

To do so

1. Navigate to the folder where you copied the AgentSetup.msi file.

NOTE:

Use the same Agent Setup file that was used to install the Agent. If the original Agent Setup file is not on the computer, download from Support Center an Agent Setup file that uses the same Agent version installed on the computer.

2. Complete one of the following steps:

- Right-click `AgentSetup.msi`, and then select **Uninstall**.
- Double-click `AgentSetup.msi`. When prompted that the Agent is already installed, click **Yes**.

The Remove the Agent Software window opens.

3. Click **Next**.

The Removing Agent window opens. After the Wizard removes the Agent, the Remove Complete window opens.

4. To exit the program, click **Finish**.
5. Restart the computer.

You have removed the Agent from the computer.

Use the command-line installation program

To use the command-line installation program to remove an Agent

1. Open a Command Prompt window.
2. Change the path to the directory where you copied the `AgentSetup.msi` file.

NOTE:

Use the same Agent Setup file that was used to install the Agent. If the original Agent Setup file is not on the computer, download from Support Center an Agent Setup file that uses the same Agent version installed on the computer.

3. To remove the Agent, type the following command:

```
msiexec /x path\AgentSetup.msi
```

where

path is the path name that contains the `AgentSetup.msi` file.

4. Restart the computer.

You have removed the Agent from the computer.

Chapter 5: Reference

This chapter describes the parameters of the command-line applications involved with the installation, upgrade, and removal of PC Agents.

- [Command-line Agent setup file parameters, below](#)
- [REGISTRATIONFILE Fields, on page 34](#)
- [Activate command, on page 36](#)
- [Agent setup transforms, on page 38](#)
- [GetSettings Command, on page 40](#)

Command-line Agent setup file parameters

In addition to the standard msiexec command-line options, you can use product-specific parameters with the Agent Setup file.

The following table describes the parameters for the Agent Setup file:

Parameter	Description
ACCOUNTUID	<p>Specifies the single sign-on (SSO) network account user ID for the registration.</p> <p>Use: Install</p> <p>Syntax: ACCOUNTUID=value</p> <p>where value is a user name in the third-party identity provider.</p> <p>NOTE: Do not use this parameter with any of the following parameters:</p> <ul style="list-style-type: none">• EMAILADDRESS• LDAPID• RESERVATIONCODE
ACCOUNTNUMBER	<p>Directs the Agent Setup file to recover a specific account.</p> <p>Use: Recovery</p> <p>Syntax: ACCOUNTNUMBER=value</p> <p>where value is a 10-digit account number in the format nnnnn-nnnnn.</p> <p>Required parameters: Use one of the following parameter options:</p> <ul style="list-style-type: none">• TECHID and PASSWORD <p>To recover a single sign-on (SSO) account in silent mode</p>

	<p>(/qn or /qb verbosity), you must use the TECHID and PASSWORD parameters with a non-SSO technician ID that has access to the user's account.</p> <ul style="list-style-type: none"> USERPASSWORD <p>This parameter is not valid with SSO accounts.</p> <p>NOTE: Do not use this parameter with any of the following parameters:</p> <ul style="list-style-type: none"> ACCOUNTUID COMMUNITYID CONFIGURATIONID EMAILADDRESS FIRSTBACKUP LDAPID RESERVATIONCODE
COMMUNITYID	<p>Directs the Agent Setup process to use a community different from the one included in the Agent Setup file.</p> <p>Use: Install</p> <p>Syntax: COMMUNITYID=value</p> <p>where value is a valid community ID on the Data Center.</p> <p>Verify that the Agent configuration in use is active in the community specified by this parameter. If the Agent configuration is not active, the installation uses the default Agent configuration for the community.</p> <p>CAUTION: The Agent Setup process does not validate the community ID provided by this parameter. The installation process fails if you use an invalid community ID. If this happens, reinstall the Agent with a valid community ID.</p>
CONFIGURATIONID	<p>Directs the Agent Setup process to use an Agent configuration different from the one included in the Agent Setup file.</p> <p>Use: Install</p> <p>Syntax: CONFIGURATIONID=value</p> <p>where value is a valid Agent configuration ID on the Data Center.</p> <p>CAUTION: The Agent Setup process does not validate the Agent configuration ID provided by this parameter.</p>
DISKIMAGE	<p>Installs an inactivated Agent on a computer.</p>

	<p>Use: Install</p> <p>Syntax: <code>DISKIMAGE=value</code></p> <p>where <code>value</code> is one of the following accepted values:</p> <ul style="list-style-type: none">• <code>no.</code> (Default) Installs an active and registered Agent.• <code>serviceoff.</code> Installs an inactive Agent on the computer that requires a user with administrator privileges to activate.• <code>serviceon.</code> Installs an inactive Agent on the computer that users without administrator privileges can activate. <p>NOTE: If you use this parameter to install an inactive Agent, installation fails if you use any of these additional parameters:</p> <ul style="list-style-type: none">• <code>ACCOUNTUID</code>• <code>ACCOUNTNUMBER</code>• <code>EMAILADDRESS</code>• <code>FIRSTBACKUP</code>• <code>LDAPID</code>• <code>PASSWORD</code>• <code>RESERVATIONCODE</code>• <code>REGISTRATIONFILE</code>• <code>TECHID</code>• <code>USERPASSWORD</code> <p>NOTE: The installation process fails if you attempt to install an inactive Agent on a computer that already has an Agent.</p>
EMAILADDRESS	<p>Specifies the email address for the created account.</p> <p>Use: Install</p> <p>Syntax: <code>EMAILADDRESS=value</code></p> <p>where <code>value</code> is a valid email address, with domain (example, <code>user@company.com</code>)</p> <p>Required parameter: <code>PASSWORD</code></p> <p>NOTE: If you do not specify an e-mail address and password with an account during installation, the account is associated with the user's computer name.</p>
FIRSTBACKUP	<p>Specifies whether or not to run a backup after installation and registration.</p>

	<p>Use: Install</p> <p>Syntax: FIRSTBACKUP=value</p> <p>where value is one of the following accepted values:</p> <ul style="list-style-type: none">• 1. Perform a backup after installation and registration.• 0. (Default) Do not run a backup after installation and registration.
LDAPID	<p>Specifies the enterprise directory user ID for the registration.</p> <p>Use: Install</p> <p>Syntax: LDAPID=value</p> <p>where value is a user name in the enterprise directory.</p> <p>You can use system variables with this parameter (example, %username%), but not registry variables.</p> <p>NOTE: Do not use this parameter with any of the following parameters:</p> <ul style="list-style-type: none">• ACCOUNTUID• EMAILADDRESS• RESERVATIONCODE
MAKESHORCUT	<p>Directs the Agent Setup process to create a Desktop shortcut.</p> <p>Use: Install</p> <p>Syntax: MAKESHORCUT=value</p> <p>where value is one of the following accepted values:</p> <ul style="list-style-type: none">• 1. (Default) Create a Desktop shortcut.• 0. Do not create a Desktop shortcut.
PASSWORD	<p>Specifies the password for the created account.</p> <p>Use: Install</p> <p>Syntax: PASSWORD=value</p> <p>where value is a valid account password.</p> <p>Required parameter: EMAILADDRESS</p> <p>NOTE: A valid account password consists of six to 100 alphanumeric characters and at least one character that differs from the other characters.</p> <p>NOTE: If the created account is in either an enterprise directory or single-sign on community, this parameter is ignored by the Agent Setup</p>

	<p>process.</p>
PASSWORD	<p>Specifies the password of the technician ID to use for an account recovery.</p> <p>Use: Recovery</p> <p>Syntax: PASSWORD=value</p> <p>where value is the valid technician password for the technician account you are using for the account recovery.</p> <p>Required parameters: ACCOUNTNUMBER and TECHID</p>
REGISTRATIONFILE	<p>Directs the Agent Setup process to send user registration information in an XML file to the Data Center during the installation process.</p> <p>NOTE: This parameter does not support XML files for accounts that are mapped to an enterprise directory or use single sign-on credentials.</p> <p>Use: Install</p> <p>Syntax: REGISTRATIONFILE=value</p> <p>where value is the location and name of an XML file that contains account registration information.</p> <p>NOTE: If the XML file does not exist in the location provided by this parameter, the Agent installation process will complete, but with no user information fields populated.</p> <p>For more information about how to create the XML file for this parameter, see REGISTRATIONFILE Fields, on the next page.</p>
RESERVATIONCODE	<p>Specifies an account reservation code to use for the created account.</p> <p>Use: Install</p> <p>Syntax: RESERVATIONCODE= value</p> <p>where value is a valid account reservation code from Support Center.</p>
TARGETDIR	<p>Specifies a different path in the Program Files folder to install the Agent.</p> <p>Use: Install</p> <p>Syntax: TARGETDIR=value</p> <p>where value is the complete path of the new installation folder, including drive letter.</p>
TECHID	<p>Specifies the technician ID to use for an account recovery.</p> <p>Use: Recovery</p> <p>Syntax: TECHID=value</p>

	<p>where <code>value</code> is a technician account that exists in the account's community.</p> <p>Required parameters: <code>ACCOUNTNUMBER</code> and <code>PASSWORD</code></p> <p>NOTE: To recover an SSO account in silent mode (<code>/qn</code> or <code>/qb</code> verbosity), this parameter requires a non-SSO technician ID.</p> <p>NOTE: The technician ID requires the Access Users' Data permission in the account's community to work with this parameter.</p>
<code>USERPASSWORD</code>	<p>Specifies the user's account password to use for an account recovery.</p> <p>Use: Recovery</p> <p>Syntax: <code>USERPASSWORD=value</code> where <code>value</code> is a valid account password.</p> <p>Required parameter: <code>ACCOUNTNUMBER</code></p>

REGISTRATIONFILE Fields

When you use the `REGISTRATIONFILE` parameter with the command-line installation, you instruct the Agent Setup process to read an XML file that contains registration field values for an account. These values are then associated with the new account by the Agent Setup process immediately after installation.

NOTE:

The `REGISTRATIONFILE` parameter does not support XML files for accounts that are mapped to an enterprise directory or use single sign-on credentials.

When you create an XML file for the registration information, be sure you include all of the available fields in the file. Values that do not have a value can be left blank between the opening and closing field tag.

The registration XML file cannot set field states, such as hidden, read-only or required. You must set states in the **Profile and Website Settings** page in Support Center.

The following table describes the fields within the `REGISTRATIONFILE` XML file:

Field name	Description
<code>FIRSTNAME</code>	Maximum character length = 32
<code>MIDDLENAME</code>	Maximum character length = 16
<code>LASTNAME</code>	Maximum character length = 64
<code>COUNTRY</code>	Maximum character length = 32

Field name	Description
ADDRESS1	Maximum character length = 40
ADDRESS2	Maximum character length = 40
ADDRESS3	Maximum character length = 40
CITY	Maximum character length = 40
STATE	<p>Maximum character length = 40</p> <p>This field connects to a localized field on the Account Management Website based on the locale it is installed in. The following list includes the localized field connections:</p> <ul style="list-style-type: none"> • Canada: Province • France: Region • Germany: Region • Japan: Prefecture • UK: County • U.S.: State • All other countries: Region
POSTALCODE	Maximum character length = 11
EMAIL	<p>Maximum character length = 100</p> <p>If you use both this field and the EMAILADDRESS parameter, the installation ignores the value in EMAILADDRESS, and uses the value in this field.</p>
COMPANY	Maximum character length = 64
DEPARTMENT	Maximum character length = 64
LOCATION	Maximum character length = 32
MAILSTOP	Maximum character length = 16
COSTCENTER	Maximum character length = 16
EMPLOYEEID	Maximum character length = 16
PHONE	Maximum character length = 32
EXTENSION	Maximum character length = 16
CUSTOM	Maximum character length = 255

NOTE:

You must use uppercase for the field names in the XML file that contains the registration

information.

If any field values exceed the maximum character length for a field in the XML file, the installation generates error messages only in the Data Center DCMaint logs. In addition, the Agent Setup file does not display them in the command prompt window.

Enclose each registration field value in a CDATA section to ensure that the parser interprets values as character data, and not XML markup. If you leave out the CDATA section, the XML file incorrectly parses any special characters, such as "<" and "&" in the registration field values.

The Agent reads the XML information immediately after installation or account recovery, and then encrypts and sends the information to the Data Center. If you change the content of the registration XML file after installation, the Agent does not send updated registration fields to the Data Center.

Sample XML file content

```
<REGISTRATIONFIELDS>
<FIRSTNAME><<![CDATA[John]]></FIRSTNAME>
<MIDDLENAME></MIDDLENAME>
<LASTNAME><<![CDATA[Smith]]></LASTNAME>
<COUNTRY></COUNTRY>
<ADDRESS1></ADDRESS1>
<ADDRESS2></ADDRESS2>
<ADDRESS3></ADDRESS3>
<CITY></CITY>
<STATE></STATE>
<POSTALCODE></POSTALCODE>
<EMAIL></EMAIL>
<COMPANY></COMPANY>
<DEPARTMENT></DEPARTMENT>
<LOCATION></LOCATION>
<MAILSTOP></MAILSTOP>
<COSTCENTER></COSTCENTER>
<EMPLOYEEID></EMPLOYEEID>
<PHONE></PHONE>
<EXTENSION></EXTENSION>
<CUSTOM><<![CDATA[ASSETNUM324]]></CUSTOM>
</REGISTRATIONFIELDS>
```

Activate command

The Activate command registers or activates an inactive Connected Backup Agent account. It uses the following command-line syntax:

`activate.exe`

```
[ [ -accountuid accountUID | -ldapid ldapID | -rescode
  reservationcode ] [-firstbackup ] |
  [ -account account# -password password [ -techid techid ]
```

```
]
[ -registernow ]
[ -createdesktopshortcut ]
[ -help]
```

The following table describes the command-line options for the Activate

Option	Description
<pre>[-accountuid <i>accountUID</i> - ldapid <i>LdapID</i> - rescode reservationcode]</pre>	<p>(Optional) Specifies the user ID or reservation code to use for Agent registration.</p> <p>You can specify one of the following options:</p> <ul style="list-style-type: none"> • <code>-accountuid <i>accountUID</i></code> Specifies the single sign-on user ID for the Agent registration. • <code>-ldapid <i>LdapID</i></code> Specifies the enterprise directory user ID for the Agent registration. • <code>-rescode <i>reservationcode</i></code> Specifies the reservation code required by the Data Center for the Agent registration. The Data Center requires this parameter only if the community that the Agent is configured to use requires account reservation. For more information about account reservation, see Support Center Help.
<pre>[-account <i>account#</i> - password password [-techid <i>techid</i>]]</pre>	<p>(Optional) Specifies the account to use for account recovery with an inactive Agent.</p> <p>You can specify following options:</p> <ul style="list-style-type: none"> • <code>-account <i>account#</i></code> Specifies the account number to recover. • <code>-password <i>password</i></code> Specifies the password of the technician who recovers the account, if the <code>-techid</code> option is also used. Otherwise, it specifies the password of the user who owns the account. <div style="border-left: 2px solid #0070C0; padding-left: 10px; margin-top: 10px;"> <p>NOTE: This option does not support SSO account passwords.</p> </div> <ul style="list-style-type: none"> • <code>-techid <i>techid</i></code>

	<p>Specifies the technician ID to use for account recovery.</p> <p>NOTE: This option does not support SSO technician IDs. To recover an SSO account, use a technician ID with native account credentials.</p> <p>Required options: <code>-account</code> and <code>-password</code>. To recover an SSO account, the <code>-techid</code> option is also required.</p>
[<code>-firstbackup</code>]	<p>Starts a backup after Agent registration.</p> <p>This option is valid only for account registration, not account recovery.</p>
[<code>-registernow</code>]	<p>(Optional) Directs the Activate command to immediately start the Agent service, run the Agent Startup Wizard, register the account, and then start the Agent.</p> <p>Whether the Agent Startup Wizard runs depends on the following:</p> <ul style="list-style-type: none"> • For native accounts, the Wizard runs only if you used Support Center to enable the Agent Startup Wizard for the Agent configuration. Otherwise, the Agent registers immediately and anonymously. • For accounts mapped to an enterprise directory or single sign-on account, the Wizard runs only if you do not also specify the <code>-ldapid</code> or <code>-accountuid</code> parameter, respectively. Otherwise, if you did specify one of these parameters, the Agent registers immediately with the ID provided by the <code>-ldapid</code> or <code>-accountuid</code> parameter. <p>If you do not specify the <code>-registernow</code> option, the account registers after you restart the computer.</p>
<code>-createdesktopshortcut</code>	<p>(Optional) Directs the Activate command to create a desktop shortcut to the Agent.</p>
<code>-help</code>	<p>(Optional) Displays help for the Activate command.</p>

Agent setup transforms

You can use transforms instead of the Agent command-line interface to set the parameters in the Agent Setup file. The following table describes the Agent parameters that you can use your transform tool to specify:

Parameter	Description
ACCOUNTUID	<p>Specifies the single sign-on user ID for the registration.</p> <p>Default value: 0</p> <p>Applies to: new Agent installs</p>
COMMUNITYID	<p>Directs the Agent Setup process to use a community different from the one included in the Agent Setup file.</p> <p>Default value: 0</p> <p>Applies to: new Agent installs, disk image pre-installs</p>
CONFIGURATIONID	<p>Directs the Agent Setup process to use an Agent configuration different from the one included in the Agent Setup file.</p> <p>Default value: 0</p> <p>Applies to: new Agent installs, disk image pre-installs, account recoveries</p>
FIRSTBACKUP	<p>Specifies whether or not to run a backup after installation and registration.</p> <p>Default value: Undefined</p> <p>Applies to: new Agent installs</p> <div style="background-color: #f0f0f0; padding: 5px; margin-top: 10px;"> <p>NOTE: To use this parameter in a transform, you must add FIRSTBACKUP to the transform property list.</p> </div> <p>Values:</p> <ul style="list-style-type: none"> • 1. Perform a backup after installation and registration • 0. Do not run a backup after installation and registration.
LDAPID	<p>Specifies the enterprise directory user ID for the registration.</p> <p>Default value: 0</p> <p>Applies to: new Agent installs</p>
MAKESHORTCUT	<p>Directs the Agent Setup process to create a Desktop shortcut.</p> <p>Default value: 1</p> <p>Applies to: new Agent installs, disk image pre-installs, account recoveries</p> <p>Values:</p> <ul style="list-style-type: none"> • 0. Do not create a Desktop shortcut • 1. Create a Desktop shortcut
REGISTRATIONFILE	<p>Directs the Agent Setup process to send user information in an XML file to the Data Center during the installation process.</p> <p>Default value: 0</p>

Parameter	Description
	Applies to: new Agent installs, account recoveries
TARGETDIR	<p>Specifies a different path in the Program Files folder to install the Agent.</p> <p>Default value: Undefined</p> <p>Applies to: new Agent installs, disk image pre-installs, account recoveries</p> <p>NOTE: To use this parameter in a transform, you must add TARGETDIR to the transform property list. Do not use the default value found in the MSI.</p>

GetSettings Command

The GetSettings command displays the Agent configuration ID and community ID for an installed Agent.

The GetSettings command uses the following command-line syntax:

```
getsettings.exe
[{-fileset | -f}]
[{-brief | -b}]
[{-registration | -r}]
[{-config | -c}]
[{-accountnum | -a}]
[{-lastbackup | -l}]
[{-xml | -x}]
[{-help | -?}]
```

The following table describes the command-line options for the GetSettings command:

Option	Description
[{-accountnum -a}]	(Optional) Displays Agent's 9-digit account number.
[{-brief -b}]	(Optional) Abbreviates displayed output.
[{-config -c}]	(Optional) Displays Agent configuration ID and community ID for Agent.
[{-fileset -f}]	(Optional) Displays Agent's version and language.
[{-lastbackup -l}]	(Optional) Displays time and status of last backup of Agent.

Option	Description
	NOTE: You will receive error messages if you have not backed up this account.
[{-registration -r}]	(Optional) Displays user registration information for the Agent on the current computer.
[{-xml -x}]	(Optional) Converts the displayed output to XML format.
[{-help -?}]	(Optional) Displays help for the GetSettings command.

Examples

The following examples demonstrate the use of the GetSettings command:

Example 1

Display the account number, Agent configuration ID, and community ID of the Agent:

```
getsettings.exe -a -c
```

Output:

```
Account Number = XXXXXXXXX  
Community = YY  
Configuration = ZZ
```

Example 2

Display the account number and version and language of the Agent, in brief format:

```
getsettings.exe -a -f -brief
```

Output:

```
XXXXXXXXX, English 8.4.0.2
```

Example 3

Display the Agent configuration ID and community ID of the Agent, in XML format:

```
getsettings.exe -c -xml
```

Output:

```
<RegistrationInfo>  
<Community>2129</Community>  
<Configuration>10955</Configuration>  
</RegistrationInfo>
```

Appendix A: Sample user instructions

This appendix contains an example of information that you can provide to users if you want them to register an account and install the Agent. You can copy and modify the text in this template to communicate instructions to users.

- [Register an account and install an Agent, below](#)

Register an account and install an Agent

Your company uses Connected Backup software to back up and protect data. To protect the files on your computer, you must register a backup account and install the Connected Backup Agent software on your computer. To do so, you must complete the following procedures:

1. Register your backup account
2. Install an Agent on your computer
3. Open your Agent for the first time after installation
4. Start your first backup

This document tells you how to complete each procedure.

Step 1: Register your backup account

1. Go to Account Management Website (AMWS) in one of the following ways:
 - Click the link in the e-mail message that your system administrator sent to you.
 - Open a web browser, and then enter the URL that your system administrator sent to you.
The **Welcome** page opens.
2. Click **Register and Download**.
If your account requires acceptance of the Service License Agreement, AMWS displays it.
3. To accept the Service License Agreement, if required, click **Accept**.
If you click **Decline**, the registration process stops and you cannot download the Agent Setup file.
4. If the system prompts you for one of the following pieces of information, provide the required information:
 - **Reservation account code**. Enter the code that you received from your system administrator, and then click **Continue**.
 - **Network Logon ID**. Enter the network logon ID (or user name) and password, and then click **Continue**.
 - **Single sign-on account credentials**. Provide the requested information to sign in.

5. If the **Registration** page appears, enter the required information, and then click **Continue**.

If you register two different Agents, the information on this page might change, depending on the Agent configuration.

NOTE:

Passwords for native Connected Backup accounts must meet the following requirements:

- contain a minimum of six alphanumeric characters
- contain a maximum of 100 alphanumeric characters
- contain at least one character that is different from the other characters

Remember the e-mail address and password that you enter during this step. You need this information to sign in to AMWS to finish the Agent installation and manage the account.

IMPORTANT:

For security reasons, do not write down your password. When you create a password, create one that is easy for you to remember, but difficult for someone else to guess.

If the registration completes successfully, AMWS displays the **Registration Complete** page. This page displays the following information for your account:

- account number
- one of the following:
 - account user name and e-mail address, if you have a native Connected Backup account or one mapped to an enterprise directory
 - user ID, if you have a Connected Backup account that maps to a single sign-on account

If the registration fails, AMWS displays an error message that explains why the registration did not complete.

6. Print the information on the **Registration Complete** page, and then store it in a secure location.

You need this information to sign in to AMWS and manage your account online.

7. Click **Download Software**.

While AMWS waits for the Data Center to create the Agent Setup application for your account, it displays the **Creating Your Download** page. When the file that contains this application is ready to download, AMWS displays the **Download Instructions** page.

8. When the Download Instructions page opens, read the instructions, and then click **Begin Download**.

The **File Download** dialog box opens.

9. Complete one of the following steps:
 - To save the Agent Setup file to your computer, click **Save**.
 - To run the Agent Setup program, click **Run**.
10. Continue to the next procedure, [Step 2: Install an Agent on your computer, below](#).

Step 2: Install an Agent on your computer

1. Complete one of the following steps:
 - If, in the File Download dialog box, you saved the Agent Setup file to your computer, navigate to the Agent Setup file (AgentSetup.msi) and then double-click it.
 - If, in the File Download dialog box, you clicked **Run**, continue to the next step.
2. In the Welcome screen, click **Next**.
The Application License dialog box opens.
3. Accept the license agreement, and then click **Next**.
The Installation Options dialog box opens.
4. Accept the default installation location or browse to another location, and then click **Next**.
The Installing Agent screen opens. This screen informs you about the progress of the installation. When the installation is complete, the Installation Complete screen opens.
5. To complete the installation, click **Finish**.
6. To open the Agent after you install it, continue to the next procedure, [Step 3: Open the Agent for the first time after installation, below](#).

Step 3: Open the Agent for the first time after installation

After you install the Agent, the Agent opens automatically, and prompts you for your account credentials.

1. Depending on the type of credentials your Agent configuration requires, either:
 - In the Enter Password dialog box, enter your account password.
 - In the browser that opens, enter your Single Sign-On credentials.
2. Click **OK**.
You receive a message as the Agent synchronizes your account with the Data Center. After the Agent synchronizes with the Data Center, the Welcome to the Agent window opens.
3. For information about how to use the Agent for the first time and how to perform your first backup, click **Help**.
You can print the Help topic for reference.
4. Close the Help topic, and then click **Close**.

The Welcome to the Agent window closes.

The Backup Set tab opens and the Agent compiles your backup set. A Scanning message opens at the lower, left of this tab during that process.

After the Agent compiles your backup set, the application displays the total number of files in the backup set and the total number of files scanned at the bottom of the Backup Set tab.

Step 4: Start your first backup

To start your first backup, click **Backup Now**.

You receive a backing up message. The first backup can take several hours to complete, depending on the number of files in your backup set and the speed of the network connection. Subsequent backups are smaller and faster because the Agent backs up only new files and changes to previously backed-up files.

You can close the Agent while a backup is in progress. You can view the results of the backup by reopening the Agent and viewing the Summary or History tab.

Index

A

- Account Management Website
 - defined 7
 - installation 7
 - recovery 17
- account recovery
 - defined 16
 - requirements 16
- ACCOUNTNUMBER 29
- ACCOUNTUID 29
- activate
 - options 37
 - parameters 36
- Agent
 - system permissions 6, 16
 - system requirements 6, 16
- Agent configuration 6
- Agent Installation Wizard
 - Agent removal 27
- Agent Startup Wizard
 - defined 17
- allow computer name change 16

C

- central administration 21
 - Agent upgrade from 8.x 21
- command-line installation program
 - Agent installation 9
 - Agent recovery 19
 - Agent removal 28
 - Agent upgrade from 8.x 24
 - defined 9
 - installation examples 10
 - recovery examples 20
- COMMUNITYID 30
- CONFIGURATIONID 30

D

- disk image installation
 - Agent Installation Wizard 12
 - command-line installation program 12
 - recovery 18
- DISKIMAGE 30

E

- EMAILADDRESS 31

F

- field states 34
- FIRSTBACKUP 31

G

- getsettings
 - defined 40
 - examples 41
 - options 40

L

- Language Support 14
- LDAPID 32

M

- MAKESHORCUT 32

P

- PASSWORD 32

R

- REGISTRATIONFILE 33
 - defined 34
 - examples 36
 - fields 34
- removal methods 27
- RESERVATIONCODE 33

S

- setup transforms 38

T

- TARGETDIR 33
- TECHID 33

U

- uninstall 27
- updateconfiguration 24
 - defined 24
 - examples 26
 - location 24
- upgrade scenarios 21
- USERPASSWORD 34

Send documentation feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

Feedback on Installing PC Agents (Micro Focus Connected Backup 8.11)

Add your feedback to the email and click **Send**.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to swpdl.ConnectedBackup.DocFeedback@microfocus.com.

We appreciate your feedback!